




# Food preparation equipment *potato peelers*



Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	pipe ø (mm)	suitable for	equiv. no.
1	416441	1500	230	355	245	8,5	Cuppone	91711940
2	416442	2500	230	460	355	8,5	Cuppone	91711941
3	416460	2500	230	540	407	8,5	Pizza-Group	5590800



Pos.	Part no.	power (W)	voltage (V)	ext. ø	pipe ø (mm)	suitable for	equiv. no.
1	418048	1600	230	300	6,3	Cuppone	91711081
2	418047	1600	230	300	6,3	Cuppone	91711080
3	418049	2200	220	385	6,3	Cuppone	ME0000042
1	418050	2600	220	435	6,3	Cuppone	ME0000043
1	418051	2600	230	475	6,3	Cuppone	91711084



Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	suitable for	equiv. no.
1	416309	1500	230	260	260	Pizza-Group	5590710

Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	suitable for	equiv. no.
2	416316	2500	230	360	360	Pizza-Group	5590760

## potato peelers

abrasive parts

grinding discs



Pos.	Part no.	ø (mm)	for device	suitable for	equiv. no.
1	696201	280	PP4-PP8 Expo	Sirman	RG04025

## inserts



Pos.	Part no.	ø (mm)	L (mm)	BA (mm)	for device	suitable for	equiv. no.
1	696202	300	205	120	PP4 Expo	Sirman	RG04016
2	696203	300	270	160	PP8 Expo	Sirman	RG08016

door mechanics

door seals



Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	internal size (mm)	for device	suitable for	equiv. no.
1	696168	143	120	4	104x75	PP4 Expo	Sirman	RG04154
2	696051	165	145	8	100x120	PP8 Expo	Sirman	RG08052

doors



Pos.	Part no.	B (mm)	H (mm)	type	for device	suitable for	equiv. no.
1	696052	135	115	with gasket	PP4 Expo	Sirman	RG04136
2	696049	164	150	with gasket	PP8-PP15 Expo	Sirman	RG08050

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	696045	bolt L 59mm SS $\varnothing$ 7mm	Sirman	RG08038
2	696050	door frame W 200mm H 210mm aluminium PP8 Expo	Sirman	RG08036
3	696048	handle L 180mm W 118mm H 50mm aluminium	Sirman	RG08040
4	696053	handle L 180mm W 20mm thickness 6mm SS PP4 Expo	Sirman	RG04138
5	696292	joint L 42mm W 16mm H 16mm internal thread M8	Sirman	RG08046
6	696293	joint L 70mm W 20mm thickness 8mm M8	Sirman	RG08048
7	346891	magnet L 16mm $\varnothing$ 6mm	Sirman	RG08054

electrical parts

keypads



Pos.	Part no.	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	401741	139	99	PP4-PP8-PP15 Expo	Sirman	RG04348

# Food preparation equipment *potato peelers*

## PCBs



1

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	401613	230/400	PP4-PP8-PP15 Expo	Sirman	RG04232

## switches complete



1

2

3

4

Pos.	Part no.	mounting $\phi$ (mm)	colour	function	suitable for	equiv. no.
1	346545	22	green	1NO	Sirman	RG04356
2	346513	22	red	1NC	Sirman	RG04354
3	346490	22	red	1NC	Sirman	RG04300
4	347111	22	red/green	1NO/1NC	Sammic	2009329

## timers



1

2

Pos.	Part no.	operation time (min)	shaft $\phi$ (mm)	BA (mm)	suitable for	equiv. no.	Pos.	Part no.	operation time (min)	shaft $\phi$ (mm)	BA (mm)	suitable for	equiv. no.
1	350128	5		28	Sirman	RG04342	2	360447	5		30	Fimar	SA1087

## miscellaneous



1

Pos.	Part no.	description	number of poles (poles)	voltage (V)	load current (A)	mounting $\phi$ (mm)
1	550765	terminal block with strain relief 7-poles 380V 16A	7	380	16	28

## lids



1

Pos.	Part no.	$\phi$ (mm)	int. $\phi$ (mm)	material	BA (mm)	for device	suitable for	equiv. no.
1	696199	310	280	plastic	59	PP4-PP8-PP15 Expo	Sirman	RG04002

motors



Pos.	Part no.	voltage (V)	freq. (Hz)	spindle ø (mm)	WL (mm)	speed (rpm)	suitable for	equiv. no.
1	500711	230	50	10	21	1400	Sirman	RG04260A
2	500713	230	50	12	23	1400	Sirman	RG08260A
3	500712	400	50	10	21	1400	Sirman	RG04260B
4	500714	400	50	12	23	1400	Sirman	RG08260B

transmission parts  
drive shafts



Pos.	Part no.	description	type	for device	suitable for	equiv. no.
1	696054	set	with gasket and ball bearing	PP4 Expo	Sirman	RG04270
2	696055	set	with gasket and ball bearing	PP8-PP15 Expo	Sirman	RG08270

pulleys



Pos.	Part no.	disc ø (mm)	shaft intake ø (mm)	H (mm)	type	grooves	suitable for	equiv. no.
1	696044	25	10	28	TB2.34	8	Sirman	RG04250
2	696046	116,5	16	25	flat	-	Sirman	RG04268
3	696047	116,5	16	33	flat	-	Sirman	RG08268

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	number of grooves	suitable for	equiv. no.
1	698225	TB2.34	432	14	6	Sirman	RG04248
2	698226	TB2.34	432	23,4	10	Sirman	RG08248
3	698206	TB2.34	457	28	12	Angelo-Po	36G4900
4	697639	TB2.34	711	28	12	-	-

## salad spinner

### toothed wheels



Pos.	Part no.	teeth	shaft intake ø (mm)	ø (mm)	tooth width (mm)	material	suitable for	equiv. no.
1	698255	12	14	41	19	plastic	Dynamic	2808
2	698256	12/30	14	41,5/95	14/19	plastic	Dynamic	2815.1
3	698254	30	14	95	14	plastic	Dynamic	2806

## slicers

### adjustment knobs



Pos.	Part no.	symbol	ø (mm)	shaft ø (mm)	shaft length (mm)	handle ø (mm)	suitable for	equiv. no.
1	697509	0-13	55	12	35	42	Sirman	AMC102
2	697767	0-15	50	12	30	43	Omas	I1976
3	697419	0-15	55	12	28	42	RGV	0000000130
4	697510	0-15	60	12	32	58	Sirman	19562402
5	698268	0-15	68	14	94	67	-	-
6	697382	0-15	68	18	46	66	RGV	0000000631
7	697511	0-15	68	18	47	58	Sirman	19562404



Pos.	Part no.	symbol	ø (mm)	shaft ø (mm)	shaft length (mm)	handle ø (mm)	suitable for	equiv. no.
8	697368	0-15	70	18	48	64	Omas	I1990A

### spring washers



Pos.	Part no.	ext. ø (mm)	int. ø (mm)	suitable for	equiv. no.
1	698267	19	15	-	-
2	697479	21	14	RGV	0000000856
3	696253	25	12	Sirman	19342005

Pos.	Part no.	ext. ø (mm)	int. ø (mm)	suitable for	equiv. no.
4	697478	26	19	RGV	0000000671
5	696254	32	19	Sirman	19342006