

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	691955	flange ID \varnothing 54mm L 80mm W 80mm H 14mm	Henkelman	0400735
2	300231	potentiometer 950KOhm rotation angle 300°	Henkelman	0232100
3	692065	retaining ring spindle \varnothing 6mm thickness 0,7mm	Henkelman	0065250
4	691583	silencer ID \varnothing 51,5mm outside \varnothing 57mm H 32mm	Henkelman	0931230
5	692066	spindle ext. \varnothing 6mm L 127mm	Henkelman	0390500

vegetable slicers

cubing grids



Pos.	Part no.	type	\varnothing (mm)	seat \varnothing (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697490	PS10	210	38	10	aluminium	Sirman	40751PS10
2	697499	PS14	210	38	14	aluminium	Sirman	40751PS14
3	697501	PS20	210	38	20	aluminium	Sirman	40751PS20
4	697487	PS8	210	38	8	aluminium	Sirman	40751PS08

cutting discs blades round



Pos.	Part no.	type	\varnothing (mm)	seat \varnothing (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697303	DF5	205	19	5	aluminium	Sirman	40751DF05
2	697390	E5	206	19	5	plastic	Fimar	DISCOE5
3	697391	S1	206	19	1	plastic	Fimar	DISCOS1

blades smooth



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697504	DF1	205	19	1	aluminium	Sirman	40751DF01
2	697502	DF10	205	19	10	aluminium	Sirman	40751DF10
3	697494	DF14	205	19	14	aluminium	Sirman	40751DF14
4	697302	DF2	205	19	2	aluminium	Sirman	40751DF02
5	697503	DF3	205	19	3	aluminium	Sirman	40751DF03
6	697485	DF4	205	19	4	aluminium	Sirman	40751DF04
7	697484	DF8	205	19	8	aluminium	Sirman	40751DF08
8	697389	E1	206	19	1	plastic	Fimar	DISCOE1
9	697301	E2	206	19	2	plastic	Fimar GAM	DISCOE2 E2
10	697297	E3	206	19	3	plastic	Fimar GAM	slice thickness E3 3mm slice thickness E3 3mm

ejector discs



Pos.	Part no.	version	H (mm)	ø (mm)	seat ø (mm)	shaft adaptor (mm)	LA (mm)	suitable for	equiv. no.
1	699011	-	7	195	-	22x27	-	Angelo-Po Fimar	36G6960 36G6960
2	697294	-	17	-	25	-	41	Sirman	40751DESP
3	697292	flat	6	200	20,3	-	40	GAM	ATVDIPLAESB
4	699012	flat	6	200	21	-	40	Fimar	SL0843
5	699110	flat	10	200	50	19	39	OEM	50SCA78300
6	699016	high	25	200	21	-	40	Emmepi Fimar	808636 SA2700
7	697291	high	28	200	20,3	-	40	GAM	ATVDIPLAESA

grating discs



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697497	DT2	205	19	2	aluminium	Sirman	40751DT02
2	697489	DT3	205	19	3	aluminium	Sirman	40751DT03
3	696167	DT4	205	19	4	aluminium	Sirman	40751DT04
4	697491	DT7	205	19	7	aluminium	Sirman	40751DT07
5	697498	DT9	205	19	9	aluminium	Sirman	40751DT09
6	697496	DTV	205	19	-	aluminium	Sirman	40751DTV
7	696200	RG9	175	20	9	-	Robot Coupe	27632

stick slice discs



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697488	DQ10	205	19	10	aluminium	Sirman	40751DQ10
2	697493	DQ4	205	19	4	aluminium	Sirman	40751DQ04
3	697495	DQ6	205	19	6	aluminium	Sirman	40751DQ06
4	697486	DQ8	205	19	8	aluminium	Sirman	40751DQ08

electrical parts

control boxes



1

2

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	699005	-	A2-A2L	GAM	Steuerplatine

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
2	699001	230	-	Fimar	SA1250

keypads

gaskets



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403002	120	48	Emmepi Sirman	808612 19702000

micro-switches



1

Pos.	Part no.	voltage (V)	switching capacity (A)	function	connection
1	345041	250	16	1CO	flat plug 6,3mm

momentary push switches



Pos.	Part no.	voltage (V)	switching capacity (A)	function	mounting ø (mm)
1	699002	250	16	1NC/1NO	22

PCBs



1

2

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	400954	230	Sirman	19411007

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
2	400955	230/400	Emmepi Sirman	808629 19411008

feet



1

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	suitable for	equiv. no.
1	697387	M5	10	36	27	Fimar	SL2674

holders



1

Pos.	Part no.	H (mm)	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	696100	39	65	26	TM	Sirman	IV4010030

lids



Pos.	Part no.	material	ø (mm)	for device	suitable for	equiv. no.
1	696198	stainless steel	220	TM	Sirman	IV2280010

Food preparation equipment *vegetable slicers*

motors



1

Pos.	Part no.	voltage (V)	ph	speed (rpm)	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	500719	230	1		14	37			154		TM	Sirman	IV5050002

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
1	698227	J	483	18,7	8	Sirman	IV7000010

Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
2	697623	TB2	675	24	12	-	-

pressure levers



1

2

Pos.	Part no.	description	suitable for	equiv. no.
1	698186	plunger ø 50mm H 140mm plastic TMA	Sirman	IV98407400
2	697900	push lever L 180mm W 145mm H 140mm plastic TM	Sirman	IV4010000

spindles



1

Pos.	Part no.	L1 (mm)	L2 (mm)	D1 ø (mm)	D2 ø (mm)	total length (mm)	for device	suitable for	equiv. no.
1	696098	18,5	10,5	6	5	30,5	TM	Sirman	IV2080050

miscellaneous



1

2

3

Pos.	Part no.	description	suitable for	equiv. no.
1	696192	latch mounting distance 15mm stainless steel TM	Sirman	IV7400010
2	696099	tension spring ø 7,2mm L 19mm wire gauge ø 0,7mm	Sirman	IV75MTM
3	699000	star handle M5 ø 40mm L 54mm black	Fimar	SL1390

universal parts

ball bearings

deep-groove ball bearings 2RS



Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
1	523503	5	16	5	DIN 625-2RS
2	523504	6	19	6	DIN 626-2RS
3	523505	7	22	7	DIN 627-2RS
4	523501	8	22	7	DIN 608-2RS
5	523502	9	24	7	DIN 609-2RS
6	523506	9	26	8	DIN 629-2RS
7	523507	10	26	8	DIN 6000-2RS
8	523508	10	30	9	DIN 6200-2RS
9	505011	10	30	9	DIN 6200-2RS
10	523534	12	28	8	DIN 6001-2RS
11	523509	12	32	10	DIN 6201-2RS
12	523546	12	32	16	DIN 3201-2RS
13	523011	15	32	9	DIN 6002-2RS
14	523510	15	35	11	DIN 6202-2RS
15	523526	15	42	13	DIN 6302-2RS
16	523551	17	35	10	DIN 6003-2RS

Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
17	523511	17	40	12	DIN 6203-2RS
18	523516	17	47	14	DIN 6303-2RS
19	523522	20	42	12	DIN 6004-2RS
20	523512	20	47	14	DIN 6204-2RS
21	697116	20	47	20,6	DIN 3204-2RS
22	523517	20	52	15	DIN 6304-2RS
23	692033	25	47	12	DIN 6005-2RS
24	523525	25	47	12	DIN 6005-2RS
25	523513	25	52	15	DIN 6205-2RS
26	523518	25	62	17	DIN 6305-2RS
27	523541	30	55	16	DIN 6006-2RS
28	523524	30	62	16	DIN 6206-2RS
29	523528	35	62	14	DIN 6007-2RS
30	523542	40	68	15	DIN 6008-2RS
31	523515	40	80	30	DIN 5208-2RS

flange bearings



Pos.	Part no.	type	spindle ø (mm)	LA (mm)
1	693112	UCF204	20	64
2	697278	UCF205	25	70

Pos.	Part no.	type	spindle ø (mm)	LA (mm)
3	697279	UCF206	30	83

thrust ball bearings



Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
1	523000	12	26	9	51101
2	523520	15	28	9	51102
3	523547	15	32	12	51202
4	514042	17	35	12	51203
5	523537	20	35	10	51104

Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
6	523536	20	40	14	51204
7	523523	25	42	11	51105
8	523529	25	47	15	51205
9	523533	30	47	11	51106
10	523532	30	52	16	51206